

# BUILDING ENERGY SIMULATION

*For Users of EnergyPlus, SPARK, DOE-2, BLAST, Genopt,  
Building Design Advisor, ENERGY-10 and their Derivatives*

# U s e r N e w s

## What's New ?

### .....Release of EnergyPlus 1.0.1

EnergyPlus 1.0.1 may be downloaded free of charge from <http://www.energyplus.gov>. Turn to p. 2 for the new features.

### .....EnergyPlus wins Awards!

The EnergyPlus program has won an award from the Federal Laboratory Consortium for Technology Transfer. EnergyPlus has also won the 2001 DOE Award for Information Technology.

### .....Download VisualSPARK 1.0.1

Version 1.0.1 of VisualSPARK is available as a free download. Go to <http://SimulationResearch.lbl.gov> and click on VisualSPARK 1.0.1 in the left menu. User manuals are available as PDF files.

### .....DOE-2 Bug/Change List

The entire, up-to-date bug fix and additions list for DOE-2.1E is available as a text file on our website. It's at <http://SimulationResearch.lbl.gov> under "DOE-2" in the left menu

### ..... New DOE-2 Consultant in Texas

Tarek Bou-Saada is the newest DOE-2 consultant; please turn to p. 10.

### .....IBPSA-USA Free Membership

The IBPSA-USA Board of Directors has waived the annual membership fee for 2002; see p. 13.

## What's Inside ?

### Features.....

- 2 New Features in EnergyPlus 1.0.1
- 4 New EnergyPlus Weather Data
- 4 Release of Genopt 1.1.2
- 6 Changes to DOE-2.1E
- 11 Southern California Edison's Educational Programs
- 14 Pacific Gas & Electric's Educational Programs
- 15 DOE-2 Puzzler:
  - Using WINDOW 4 Data in DOE-2.1E
  - "-nan" Outputs in your SIM file

### Software .....

- 13 BLAST News
- 10 Building Design Advisor 2.0
- 5 DOE-2.1E
  - 6 Training
  - 6 Help Desk
  - 20 Directory of DOE-2 Software and Services
  - 22 Pre- and Post-Processors for DOE-2
  - 23 Special Versions of DOE-2
  - 24 International DOE-2 Resource Centers
  - 26 DOE-2 Consultants
- 9 DoeRayMe, a New Screening Tool Application
- 8 ENERGY-10 1.3 [Version 1.5 release is imminent]
- 2 EnergyPlus 1.0.1
- 4 GenOpt 1.1.2
- 12 Software from Lawrence Berkeley Laboratory

### Building Science Reports .....

- 7 *Development of a New Duct Leakage Test: Delta Q*
- 7 *A Zonal Model for Predicting Simultaneous Heat and Moisture Transfer in Buildings*

### Departments.....

- 10 EnergyPlus User Group
- 11 BLDG-SIM Mailing List
- 9 Web Sites for Building Energy Efficiency
  - *Hong Kong: Building Energy Efficiency Research*
  - *Free Binary Calculator*
  - *Free Unit Conversion Utility*
  - *Phibot: Intelligent Tool for Scientists*
- 18 Meetings, Conferences, Symposia



## EnergyPlus Version 1.0.1

To download a free copy of the program go to

[www.energyplus.gov](http://www.energyplus.gov)



### Features of EnergyPlus 1.0.1

1. Linux version
2. End-use meters
3. Auto sizing of system components and equipment.
4. Trombe wall
5. Photovoltaic calculations (through TRNSYS link)
6. New Window-Related Features
  - Window blind model (slat-type shading devices such as Venetian blinds).
  - Coupling of window blinds to daylighting calculation.
  - More control types for shading devices, including heating season controls.
  - Capability to import a window data file from WINDOW 5; allows EnergyPlus to do annual energy run on a window designed in WINDOW
  - Ability to assign a shading device to a window imported from WINDOW
  - Calculation of beam solar radiation passing through interior windows (needed for modeling double-envelope buildings).
  - Window blinds with movable slats and associated slat-angle control options.
  - Window gap fill as a mixture of gases rather than a single gas.
  - Triangular windows.
7. New input file example for each new feature.
8. New HVAC system templates:
  - Zone Thermostat
  - Purchased Air
  - Four Pipe Fan Coil
  - VAV Single Duct with Reheat
  - Packaged Furnace with DX Air Conditioner
  - Purchased Hot Water and Chilled Water Supply Loop
  - Single Boiler Supply Loop
  - Single Chiller Supply Loop.
9. Version 1.0.1 has been tested against:
  - HVAC BESTEST (IEA SHC Task 22 Building Energy Analysis Tools)
  - ASHRAE RP-1052, Development of an Analytical Verification Test Suite for Whole Building Energy Simulation Programs - Building Fabric
  - ANSI/ASHRAE Standard 140-2001 [BESTEST] (updated results)
10. Weather utility updates—now automatically includes ASHRAE 2001 HOF design conditions, typical/extreme periods within weather file, new summary report, and processes new formats such as ASHRAE IWEBC and ESP-r text. Weather data now available on EnergyPlus web site for more than 570 locations (80 countries).

11. Air-to-air heat pump
12. Water-to-water heat pump (Ground loop heat exchanger and Ground Source Heat Pump)
13. Air Cooled Condenser
14. Evaporatively cooled condenser (simplified)
15. Dehumidification Control (Cooling Coil) added for unitary systems. DX coil meets the dehumidification load; uses heating coil to offset excess sensible cooling that is provided.
16. DOE-2 Translator Improvements: (INTERIOR-WALL, FIXED-SHADE, LIKE, SET DEFAULT, purchased air solution, bug fixes)
17. IDFEditor (support for ',' as decimal point)
18. Major updates to gas heating coil--electric parasitics, part-load performance curve, and fan and coil cycling controls.
19. Node connection validation.
20. Branch and Node Details report (.bnd file)
21. Surface Details report
22. Many HVAC/plant changes, details on request. New or changed items include:
  - Gas Turbine Chiller
  - Heat Recovery in Gas Turbine Chiller
  - Electric Baseboard option
  - Boilers, Plant Supply and Condenser Supply
  - DX Coil
  - System night cycle control
23. Movable transparent insulating material for walls
24. Introduction of translation programs for converting previous version input files to latest release (Main folder, TransitionV1-0-0-to-V1-0-1.exe, Rules1-0-0to1-0-1.xls, Report Variables 1-0-0-023 to 1-0-1.csv)
25. WinEPDraw utility program
26. Versioning on all input data files.

### **EnergyPlus – What it is, What it is not**

#### ***A statement from the EnergyPlus Development Team***

EnergyPlus is a simulation program designed for modeling buildings with all their associated heating, cooling, lighting, ventilating and other energy flows. EnergyPlus is a stand-alone simulation engine without a 'user friendly' graphical interface . . . EnergyPlus reads input and writes output as text files. Private sector interfaces are under development--the first is anticipated to be available by June 2002. (More than five private sector companies have indicated that they intend to develop EnergyPlus interfaces.) Because public funds (U.S. Department of Energy, primarily) were used to develop EnergyPlus, we chose to develop the engine and not try to be all things to all users. Developing good user interfaces takes many resources, specific attention to problem domains, and backing from specific user communities. The team feels that those interests are better served through private considerations where domain-specific funding may help quantify the requirements.



*EnergyPlus is being developed by University of Illinois, CERL, and Lawrence Berkeley National Laboratory, with the assistance of the Florida Solar Energy Center, GARD Analytics, the University of Wisconsin, Oklahoma State University and others. Development of EnergyPlus is supported by the U. S. Department of Energy, Dru Crawley, Program Manager.*


### **New!! EnergyPlus Weather Data**

The EnergyPlus development team is pleased to announce that our web site now offers more than 570 weather locations available for download and ready to use with EnergyPlus. There are 275 locations in the United States, 16 California thermal zones, 55 Canadian locations, and 233 international locations in more than 80 countries.

Go to [www.energyplus.gov](http://www.energyplus.gov)

On the right side, under Weather Data, click on one of the following links:  
USA, California, Canada or International.

We recommend that you also download the weather utility RPT file for each location. The RPT file includes design data where available, statistics for the weather file, including typical and extreme periods (hottest summer week, coldest winter week, typical spring week, etc), Koppen climate classification, heating and cooling degree days, monthly average minimum and maximum dry bulb and dew point temperatures, undisturbed ground temperatures, direct and diffuse solar radiation, relative humidity, and wind speed and direction.



## **GenOpt 1.1.2**

### **Generic Optimization Program**

**GenOpt** is a multi-parameter optimization program; it automatically finds the values of user-selected design parameters that minimize a cost function, such as annual energy use, calculated by an external simulation program like EnergyPlus, SPARK, DOE-2, BLAST, TRACE, TRNSYS, etc.

**GenOpt** can be used with any simulation program that has text-based input and output. It also offers an interface for adding custom optimization algorithms to its library.

### **Release of GenOpt 1.1.2**

**GenOpt 1.1.2** fixes problems in reading simulation output files where the objective function value is followed by a comma. Such output strings can be found, for example, in some EnergyPlus outputs.

Also, a method called 'postProcessObjectiveFunction(int, double[] f)' has been added to the file named 'Optimizer.java'. You can modify this function to easily implement post-processing of the objective function value, such as adding two outputs to seek the minimum of the sum of the two outputs.

Example files have been added to the **GenOpt** web page (<http://SimulationResearch.lbl.gov> > GenOpt) to help users set up the program to optimize EnergyPlus simulations. **GenOpt** input files still have the same syntax as in version 1.1.1. Therefore, your **GenOpt** input files are compatible with the new version.

**GenOpt 1.1.2** (with user manual) may be downloaded free of charge from

<http://SimulationResearch.lbl.gov> > GenOpt



# DOE-2



**DOE-2.1E (version 119) 1,000-Zone version for Windows from ESTSC; other vendors of DOE-2 based programs are listed on our website: <http://SimulationResearch.lbl.gov> > DOE-2**

Cost is as follows:

- \$ 300 U.S. Government, non-profit Educational
- \$ 575 U.S., Mexico, Canada
- \$ 1268 Japan only
- \$ 1075 All Other Non-U.S.

## **DOE-2 Documentation on a CD from ESTSC - Cost US\$100**

### ***What is included on the CD?***

- DOE-2 Reference Manual (Part 1)
- DOE-2 Reference Manual (Part 2)
- DOE-2 Supplement to the Reference Manual (2.1E)
- DOE-2 BDL Summary (2.1E)
- DOE-2 Engineers Manual (2.1A)

## **Order Software and ESTSC Documentation**

Ed Kidd

NCI Information Systems, Inc.

Energy Science and Technology Software Center (ESTSC)

P.O. Box 1020

Oak Ridge, TN 37831

Phone: 865/576-1037

Fax: 865/576-6436

Email: [estsc@adonis.osti.gov](mailto:estsc@adonis.osti.gov)

## **Free DOE-2 Documentation (<http://SimulationResearch.lbl.gov> > DOE-2 > Documentation)**

- DOE-2 Basics (2.1E)
- Update Package #1:  
DOE-2.1E Basics, the Supplement and BDL Summary
- Update Package #2: (Version 107, DOE-2.1E)  
BDL Summary and Supplement.
- Update Package #3:  
Appendix A of the Supplement.
- Update Package #4: (1000-zone DOE-2.1E)  
BDL Summary.
- DOE-2 Modeling Tips (pdf)

DOE-2 Basics Manual and Update Packages 1, 2, 3 and 4, not included on the ESTSC CD, consist of scanned pdf files and may be downloaded from our web site. You may also request the same information on a CD by sending email to [kl Ellington@lbl.gov](mailto:kl Ellington@lbl.gov).

The files need to be printed and the update pages inserted into the existing DOE-2 manuals.

Note that Update Packages are **not** cumulative and each one contains different information. You have to download all four packages to update the DOE-2 documentation completely.

DOE-2 Modeling Tips a compilation of all the "how to" articles from the *Building Energy Simulation User News* (through 2001).

*DOE-2 listings are continued on the next page*

### Purchase DOE-2 Documentation

DOE-2 Sample Run Book (2.1E) -- The Sample Run book is the only remaining DOE-2 manual not available electronically. It must be purchased separately from NTIS; information is at <http://SimulationResearch.lbl.gov> > DOE-2 > Documentation


### DOE-2 Training

Private or group DOE-2 courses for beginning and advanced users:

Contact Marlin Addison at (602) 968-2040, or send email to [marlin.addison@doe2.com](mailto:marlin.addison@doe2.com)

### DOE-2 Help Desk

Email, phone or fax the Simulation Research Group with your questions ([klrellington@lbl.gov](mailto:klrellington@lbl.gov)).  
Phone: (510) 486-5711, Fax: (510) 486-4089



## Changes to DOE-2.1E

Recent changes to DOE-2.1E are described. Shown at the left is the version number of DOE-2.1E, which is incremented for each change. Following is a short description of the changes, the initials of the author and date of change. Note that each version of DOE-2.1E includes all changes made up to and including that version number. Therefore, Version -119 includes all prior changes. You can determine which version of the program you are using by checking any of the output reports, where version *nnn* is indicated as DOE-2.1E-*nnn*.



### -117 : dkey lds sys

Updated the Input Functions Global Variables Table after the changes for the big version of DOE-2.1E (IDENT -117, big1).

[EE 20011110]

### -118 : dkey

In Plant the tower keyword TWR-DESIGN-APPRO has the wrong units; it should be R (for delta T) not F (for T).  
This means the metric conversion for this input will be incorrect.

[FB 20011205]

### -119 : bdl lds plt sim sys

Bug fix: PARAMETRIC-INPUT statement doesn't work and stops BDL.

[EE 20020315]

Fixed uninitialized variable in subroutine CPUTIM.

[EE 20020220]

Deleted unused subroutine SETFLS in bdl.f. Deleted unused subroutines DUMMY, SETFLS, REQFLS in sim.f. Fixed bug in surface temperature calculations (related to IDENT MODST). Uninitialized variable gives incorrect results.

[EE 20020318]



# Recent Reports

**LBNL-47308**

## **Development of a New Duct Leakage Test: Delta Q**

by

I. S. Walker, M. H. Sherman, J. Wempeh, D. Wang,  
J. A. McWilliams and D.J. Dickerhoff

Environmental Energy Technologies Department  
Lawrence Berkeley National Laboratory

### **Abstract:**

Duct leakage is a key factor in determining energy losses from forced air heating and cooling systems. Several studies have shown that duct system efficiency cannot be reliably determined without good estimates of duct leakage. Specifically, for energy calculations, it is the duct leakage air flow to outside at operating conditions that is required. Existing test methods either precisely measure the size of leaks (but not the flow through them at operating conditions), or measure these flows with insufficient accuracy. The Delta Q duct leakage test method was developed to provide improved estimates of duct leakage during system operation. In this study we developed the analytical calculation methods and the test procedures used in the Delta Q test. As part of the development process, we estimated uncertainties in the test method (both analytically and based on field data) and designed automated test procedures to increase accuracy and reduce the contributions of operator errors in performing field tests. In addition, the test has been evaluated in over 100 houses by several research teams to show that it can be used in a wide range of houses and to aid in finding limits or problems in field applications. The test procedure is currently being considered by ASTM as an update of an existing duct leakage standard.

*This report is available electronically at*

**<http://epb.lbl.gov/Publications/lbnl-47308.pdf>**

*For duct research at LBNL, go to <http://ducts.lbl.gov>.*

*If you would like a complete list of publications about Indoor Environmental Research at LBNL, contact **Olivia Salazar** at [ocsalazar@lbl.gov](mailto:ocsalazar@lbl.gov).*

*Also download the California Energy Commission's most recent "blueprint" newsletter (Spring/Winter 2002), it's a special issue on duct sealing. The url is <http://38.144.192.166/efficiency/blueprint/index.html>.*

**LBNL-pending**

## **A Zonal Model for Predicting Simultaneous Heat and Moisture Transfer in Buildings**

by

K. C. Mendonça<sup>1,2</sup>, C. Inard<sup>1</sup>, E. Wurtz<sup>1</sup>,  
F. C. Winkelmann<sup>3</sup> and F. Allard<sup>1</sup>

<sup>1</sup>LEPTAB, University of La Rochelle,  
La Rochelle, France

<sup>2</sup>Pontifical Catholic University of Paraná,  
Curitiba, PR, Brazil

<sup>3</sup>Lawrence Berkeley National Laboratory,  
90-3147 Building Technologies  
Berkeley, CA, USA

### **Abstract:**

To study the influence of adsorption/desorption by building materials on indoor air behavior, we have developed a zonal model to predict temperature and moisture fields in a room. This model is composed of two sub-models that represent indoor air conditions and room envelope. The heat and mass transfer across the building envelope are predicted by "evaporation and condensation" theory. The resulting set of non-linear coupled equations is solved simultaneously by the oriented-object platform, SPARK. In a study case with 27 zones the proposed model is compared to one without adsorption/desorption by building materials. The results indicate that adsorption/desorption influences the moisture field in confined spaces.

*This report is available electronically at*

**[http://SimulationResearch.lbl.gov/dirpubs/katia\\_02.pdf](http://SimulationResearch.lbl.gov/dirpubs/katia_02.pdf)**



◆◆◆ Version 1.5 was scheduled to be released May 2, 2002 – Go to [www.sbicouncil.org](http://www.sbicouncil.org) for more news! ◆◆◆

## ENERGY-10, Version 1.3 with WeatherMaker

**Version 1.3 of ENERGY-10** is now available. It includes the much-anticipated **WeatherMaker** function. *WeatherMaker* allows users to create their own weather files based on information available from nearly 4,000 weather stations throughout the U.S. Revisions to the program itself include some minor fixes, an improved and expanded Help section, and greater clarity in titling and identification of various sections. Contact the Sustainable Buildings Industries Council for more information, or to order your upgrade disc (the cost is \$15, which covers production and shipping).

**ENERGY-10**, written in C++, is a design tool for smaller residential or commercial buildings that are less than 10,000 ft<sup>2</sup> floor area, or buildings that can be treated as one- or two-zone increments. It performs whole-building energy analysis for 8760 hours/year, including dynamic thermal and daylighting calculations. ENERGY-10 was specifically designed to facilitate the evaluation of energy-efficient building features in the very early stages of the design process.

**Input:** Only four inputs required to generate two initial generic building descriptions. Virtually everything is defaulted but modifiable. As the design evolves, the user adjusts descriptions using fill-in menus (utility-rate schedules, construction details, materials).

**Output:** Summary table and 20 graphical outputs available, generally comparing current design with base case. Detailed tabular results also available.

**Platform:** PC-compatible, Windows 3.1/95/98, Pentium processor with 16 MB of RAM is recommended.

**Douglas K. Schroeder**  
1331 H Street N.W., #1000  
Washington, DC 20004



**Tel: 202.628.7400 ext 210**  
**Fax: 202.383.5043**  
**[www.sbicouncil.org](http://www.sbicouncil.org)**

### ***Sustainable Buildings Industry Council (SBIC)***

#### **SBIC Workshops**

May 8, 2002      Designing Low-Energy Buildings with ENERGY-10 (Charlotte, NC)

**ENERGY-10 User Group at <http://www.sbicouncil.org/forum>**

**SBIC Bookstore at <http://www.sbicouncil.org/store/resources.php#pubs>**

- ✓ *High Performance School Buildings Resource & Strategy Guide*
- ✓ *Low-Energy Sustainable Building Design for Federal Managers*
- ✓ *Designing Low-Energy Buildings With ENERGY-10*
- ✓ *Guidelines for Home Building*
- ✓ *Mastering ENERGY-10*







<http://arch.hku.hk/research/BEER>

**Building Energy Efficiency Research**

BEER is the Building Energy Efficiency Research project of the Architecture Department at the University of Hong Kong. Sam Hui ([cmhui@hku.hk](mailto:cmhui@hku.hk)) is their building simulation expert and head of the Hong Kong DOE-2 Resource Center. BEER is an important source of building simulation information for the Hong Kong area. The site has links to Climate Analysis, Energy Standards, Sustainable Architecture and much more.

[http:// http://www.jintek.com/binary.html](http://http://www.jintek.com/binary.html)

**Binary Calculator – FREE!**

Binary Calculator is a simple RPN-style calculator designed for programmers. It lets you manipulate numbers in a variety of formats and do binary operations on them that few other calculators allow. With BinCalc you can directly turn bits on and off just by clicking them. BinCalc requires System 7.1 or later on the Macintosh, or Windows 95 or NT on the PC, or BeOS PR2 on a PowerPC.

<http://www.esbconsult.com.au/esbcalc/esbunitconv.html>

**Unit conversion utility – FREE!**

A unit conversion utility that offers much more than the average, run-of-the-mill "miles to kilometers" converter. This powerful program converts time, angles, temperature, torque, etc.

<http://phibot.org>

**Intelligent tool for scientist**

Phibot, a special search engine designed specifically for mathematicians and scientists, is part of the *Adaptive Read Project*, a web-based experiment for collaborative information retrieval.

URLs to these sites are compliments of the LockerGnome Newsletter ([www.lockergnome.com](http://www.lockergnome.com))



This newsletter was prepared as an account of work sponsored by the United States Government (USG). While this document is believed to contain correct information, neither the USG, nor any agency thereof, nor the Regents of the University of California (RUC), nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process or service by its trade name, trademark, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the USG or any agency thereof, or the RUC. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or of the Regents of the University of California



You are invited to test **DoeRayMe**, a new DOE-2.1E screening tool application currently being developed by Jason Glazer, P. E., of GARD Analytics, Inc. **DoeRayMe** is a simple and flexible interface that uses a specially developed DOE-2 input file (template) that contains special codes describing the parameters available to

be changed in the user interface. This allows new screening tools to be developed by any DOE-2 user. Please visit the **DoeRayMe** web site at <http://www.gard.com/DoeRayMe>.



## Building Design Advisor 2.0

*Decision making through the  
integrated use of multiple  
simulation tools and databases*

The **Building Design Advisor (BDA)** is a Windows® program that addresses the needs of building decision-makers from the initial, schematic phases of building design through the detailed specification of building components and systems. The BDA is built around an object-oriented representation of the building and its context, which is mapped onto the corresponding representations of multiple tools and databases. It then acts as a **data manager** and **process controller**, automatically preparing input to simulation tools and integrating their output in ways that support multi-criterion decision-making. Version 3.0 of the BDA is now available for Beta testing and includes links to three main simulation tools for daylighting, electric lighting and energy analyses:


- **DCM**, a simplified daylighting simulation tool,
- **ECM**, a simplified electric lighting simulation tool, and
- the **DOE-2.1E** building energy simulation program.

ECM, the **new electric lighting simulation tool** in BDA 3.0 beta, is integrated through BDA with DOE-2. BDA's Schematic Graphic Editor allows placement of electric lighting luminaires and specification of reference points for daylight-based electric lighting controls. Moreover, BDA now has the capability of **running DOE-2 parametrically** to generate a plot that shows the relationship between effective aperture and energy requirements. BDA 3.0 beta provides the added functionality of working with either **English units or Metric units**.

Current research and development efforts are focused on the development of links to **Desktop Radiance**, a Windows 95/98/NT version of the **Radiance** lighting/daylighting simulation and rendering software.

The BDA source code is available for licensing; if interested, please contact Dr. Papamichael at [K\\_Papamichael@lbl.gov](mailto:K_Papamichael@lbl.gov). To learn more about the BDA software and to download a copy of the latest public version (BDA 2.0), go to <http://gaia.lbl.gov/BDA>

**For Beta Testing of BDA 3.0, contact Vineeta Pal at [VPal@lbl.gov](mailto:VPal@lbl.gov).**



Join the  
EnergyPlus  
User Group

The developers of EnergyPlus have formed a support group in order to foster discussion and maintain an archive of information for program Users. We invite questions about program usage and suggestions for improvement to the code. To join, go to [groups.yahoo.com/group/EnergyPlus\\_Support/](http://groups.yahoo.com/group/EnergyPlus_Support/)



## Southern California Gas Company Educational Programs - May-June 2002



**To register, either call 800.427.6584 and select Option 1 or send email to [erc@socalgas.com](mailto:erc@socalgas.com)**

- |               |  |
|---------------|--|
| <b>May 1</b>  | <b>Title 24 Update: the Non Residential Standards</b><br>Get practical information to comply with California's new, more stringent Title 24 standards for energy efficiency in new construction.   |
| <b>May 14</b> | <b>Controlling HVAC Costs Through the Use of Energy Management Systems</b><br>How energy management systems can be used to reduce energy costs for HVAC systems; live demo.  |
| <b>June 4</b> | <b>EnergyPro Training (Non Residential): Envelope • Lighting • Windows</b><br>Explore advanced envelope design options, lighting analysis basics, etc. using EnergyPro 3.1, California state-certified energy modeling software for Title 24 compliance. |

**The Energy Resource Center is located at 9240 Firestone Boulevard in Downey, CA 90241.  
The striking, award-winning building (shown above) was designed using DOE-2**



## Join the BLDG-SIM Mail ing List

BLDG-SIM is a mailing list for users of building energy simulation programs like EnergyPlus, DOE-2, Trace-600, HAP, BLAST, ESP, SERIRES, TRNSYS, TASE, ENERGY-10 and others. Because building simulation professionals are located worldwide, the BLDG-SIM list is an attempt to foster the development of a community of those users. Users of all levels of expertise are welcome and are encouraged to share their questions and insights about these programs.

The web page for BLDG-SIM is <http://www.gard.com/bldg-sim.htm>

Jason Glazer, P.E., Of GARD Analytics, Inc. Is the list administrator ([jglazer@gard.com](mailto:jglazer@gard.com)).



*The Building Energy Simulation User News is published bi-monthly and distributed electronically by the Simulation Research Group at Lawrence Berkeley National Laboratory. Direct comments or submissions to Kathy Ellington ([KLEllington@lbl.gov](mailto:KLEllington@lbl.gov)). Direct BLAST-related inquiries to the Building Systems Laboratory ([support@blast.bso.uiuc.edu](mailto:support@blast.bso.uiuc.edu)).*

© 2002 Regents of the University of California, Lawrence Berkeley National Laboratory. This work was supported by the Assistant Secretary for Energy Efficiency and Renewable Energy, Office of the Building Technologies Program, State and Community Programs, Office of Building Systems of the U.S. Dept. of Energy, under Contract No. DE-AC03-76SF00098

## The Lowdown on Downloads from Lawrence Berkeley National Laboratory

### Free Downloads

#### **BDA 2.0 (Building Design Advisor)**

A beta version of 3.0 is available from [vpal@lbl.gov](mailto:vpal@lbl.gov)

[gaia.lbl.gov/BDA](http://gaia.lbl.gov/BDA)

#### **COMIS**

(multi-zone air flow and contaminant transport model)

[www-epb.lbl.gov/comis](http://www-epb.lbl.gov/comis)

#### **EnergyPlus 1.0**

(new-generation whole-building energy analysis program, based on BLAST and DOE-2)

[www.energyplus.gov](http://www.energyplus.gov)

--or--

[SimulationResearch.lbl.gov](http://SimulationResearch.lbl.gov) > EnergyPlus

#### **GenOpt<sup>®</sup> 1.1** (generic optimization program)

[SimulationResearch.lbl.gov](http://SimulationResearch.lbl.gov) > GenOpt

#### **RADIANCE**

(analysis and visualization of lighting in design)

[radsite.lbl.gov/radiance/](http://radsite.lbl.gov/radiance/)

**Desktop Radiance** (integrates the Radiance Synthetic Imaging System with AutoCAD Release 14)

[radsite.lbl.gov/deskrad/](http://radsite.lbl.gov/deskrad/)

#### **RESEM (Retrofit Energy Savings Estimation Model)**

(calculates long-term energy savings directly from actual utility data)

[eetd.lbl.gov/btp/resem.htm](http://eetd.lbl.gov/btp/resem.htm)

#### **SUPERLITE**

(calculates illuminance distribution for room geometries)

[eetd.lbl.gov/btp/superlite2.html](http://eetd.lbl.gov/btp/superlite2.html)

#### **THERM 2.1a**

(models two-dimensional heat-transfer effects in building components where thermal bridges are of concern)

[windows.lbl.gov/software/therm/therm.html](http://windows.lbl.gov/software/therm/therm.html)

**VisualSPARK 1.0.1 (Simulation Problem Analysis and Research Kernel)** (connect component models to simulate innovative building envelope and HVAC systems)

[SimulationResearch.lbl.gov](http://SimulationResearch.lbl.gov) > VisualSPARK

#### **WINDOW 5**

(thermal analysis of window products)

[windows.lbl.gov/software/window/window.html](http://windows.lbl.gov/software/window/window.html)

### Free Software / Request by Fax from 510.486.4089

**RESFEN 3.1** (choose energy-efficient, cost-effective windows for a given residential application)

[windows.lbl.gov/software/resfen/resfen.html](http://windows.lbl.gov/software/resfen/resfen.html)

### Web Based

**Home Energy Saver** (quickly computes home energy use) and

[hes.lbl.gov](http://hes.lbl.gov)

and

**Home Improvement Tool** (simplified Home Energy Saver)

[hit.lbl.gov](http://hit.lbl.gov)

### Purchase

#### **ADELINE 2.0**

(daylighting performance in complex spaces)

[radsite.lbl.gov/adeline/](http://radsite.lbl.gov/adeline/)



# BLASTnews

[www.bso.uiuc.edu](http://www.bso.uiuc.edu)

Building Systems Laboratory, 30 Mech Eng Bldg.  
University of Illinois, 1206 West Green Street  
Urbana, IL 61801  
Tel: (217) 333-3977 - Fax: (217) 244-6534  
[support@blast.bso.uiuc.edu](mailto:support@blast.bso.uiuc.edu)

The **Building Loads Analysis and System Thermodynamics (BLAST)** program predicts energy consumption, energy system performance and cost for new or existing (pre-retrofit) buildings.

BLAST contains three major sub-programs:

- **Space Load Prediction** computes hourly space loads in a building based on weather data and user inputs detailing the building construction and operation.
- **Air Distribution System Simulation** uses the computed space loads, weather data, and user inputs.
- **Central Plant Simulation** computes monthly and annual fuel and electrical power consumption.

## Heat Balance Loads Calculator (HBLC)

The BLAST graphical interface (HBLC) is a Windows-based interactive program for producing

BLAST input files. You can download a demo version of HBLC (for MS Windows) from the BLAST web site (User manual included).

## HBLC/BLAST Training Courses

Experience with the HBLC and the BLAST family of programs has shown that new users can benefit from a session of structured training with the software. The Building Systems Laboratory offers such training courses on an as needed basis typically at our offices in Urbana, Illinois.

## WINLCCID 98

LCCID (Life Cycle Cost in Design) was developed to perform Life Cycle Cost Analyses (LCCA) for the Department of Defense and their contractors.

To order BLAST-related products, contact the Building Systems Laboratory at the address above.

Program Name	Order Number	Price
<b>PC BLAST</b> Includes: BLAST, HBLC, BTEXT, WIFE, CHILLER, Report Writer, Report Writer File Generator, Comfort Report program, Weather File Reporting Program, Control Profile Macros for Lotus or Symphony, and the Design Week Program. The package is on a single CD-ROM and includes soft copies of the BLAST Manual, 65 technical articles and theses related to BLAST, nearly 400 processed weather files with a browsing engine, and complete source code for BLAST, HBLC, etc. Requires an IBM PC 486/Pentium II or compatible running MS Windows 95/98/NT.	3B486E3-0898	\$1500
<b>PC BLAST Package</b> Upgrade from level 295+	4B486E3-0898	\$450
<b>WINLCCID 98:</b> executable version for 386/486/Pentium	3LCC3-0898	\$295
<b>WINLCCID 98:</b> update from WINLCCID 97	4LCC3-0898	\$195

*The last four digits of the catalog number indicate the month and year the item was released or published. This will enable you to see if you have the most recent version. All software will be shipped on 3.5" high density floppy disks unless noted otherwise.*

## FREE Membership in 2002!!!

### International Building Performance Simulation Association USA Affiliate

The IBPSA-USA Board of Directors has waived the annual membership fee for 2002 so joining our organization is easier than ever. If you want to become a member, send an email with your name, company, mailing and email address, and phone and fax numbers to Rick Strand ([r-strand@uiuc.edu](mailto:r-strand@uiuc.edu)). You will receive a confirmation email to indicate that you have been accepted for membership.

[www.ibpsa.org](http://www.ibpsa.org)







## PG&E Spring 2002 Programs

To register call the Pacific Energy Center (at least one week in advance) 415.973.7268 or go to [www.pge.com/pec](http://www.pge.com/pec)

### HVAC

- May 7**      **Designing Mechanical Systems for Indoor Air Quality** – Program covers Title 24 and ASHRAE 62-1999 requirements, methods of achieving minimum ventilation on VAV systems and techniques to achieve ventilation effectiveness.
- May 8**      **Labs for the 21<sup>st</sup> Century – High Performance, Low Energy Laboratory Design Course**  
This one-day course will provide a comprehensive understanding of the opportunities to optimize energy performance of new and existing laboratories. The course will be taught by seasoned laboratory designers, energy managers, and facilities professionals.

### WHOLE-BUILDING PERFORMANCE

- May 21**      **Building Energy Audits** – An overview of energy auditing techniques, tools, and software including building benchmarking, billing data analysis, identifying energy conservation opportunities, and cost and payback calculations, and the use of monitoring equipment through a series of hands-on exercises.
- May 22**  
**May 29**

### ARCHITECTURE

- May 9**      **The Glass Class** - Learn the performance characteristics of high performance glazing and how to specify it for your projects. Discover how shading devices affect glazing performance, energy efficiency, and quality of the indoor environment.
- May 17**
- May 23**      **Photovoltaic Systems (PVs) for Architects** – Studies of PV installations, discuss the pros and cons of different installation types, and provide answers to frequently asked questions about PV. Fundamentals.
- June 11**
- June 18**      **Site Analysis for Architects** – Learn how to assess climate data, recognize the appropriateness of low-energy or passive design strategies and use measurement tools to analyze site variables.
- June 19 or**  
**June 20**
- June 24**      **Residential Wall Sections** – Best practice in the design of residential exterior walls includes the interior finishes, the building frame, insulation, moisture barriers, and exterior finishes in the right combination for the local climate.

### LIGHTING


- July 9**      **Lighting Design for Architects** – Lighting concepts for architects, including terminology, visual perception, surface properties, light and color theory, equipment, design criteria, and applied design.
- July 10**      **Task and Ambient Lighting Solutions** – Using the 2001 Advanced Lighting Guidelines, we will explore the techniques for optimizing occupant lighting comfort and energy efficiency.

### EVENING LECTURES

- May 16**      **Charles Eley – The Future of Title 24 Energy Standards**  
The California energy-efficiency standards (Title 24) were recently revised under emergency statute. They are being revised again for adoption in July 2003 and enforcement in 2005. Charles Eley, a prime contractor to the CEC, provides a glimpse into what the future holds with regard to California's trend-setting standards.
- May 30**      **Athena and Bill Steen – Building with Earth and Straw**  
Athena and Bill Steen will present their work constructing inexpensive, energy-efficient buildings in Mexico and the United States using primarily local and natural materials. Their building techniques emphasize a high degree of craftsmanship and beauty.



## Using WINDOW 4 Data in DOE-2.1E -- and “-nan” outputs



**Question:** and EV-11 and set to effect, which corresponds to a wind speed of 15 mph (winter conditions). This is close to the

I have a question about the use of WINDOW 4 data within DOE-2. There's a discrepancy between the WINDOW 4 data and the window results listed in DOE-2 LOADS reports LV-D and LV-H. I have run tests with a file using only one window of the same size and details as per WINDOW 4 and found that the Center-of-Glass (CoG) U-value in LV-H differs from the CoG U-value in WINDOW 4. In addition, the U-value from LV-D differs from the whole window U-value in WINDOW 4. Do you have any idea why this is? And do the values in the DOE-2 reports include:

values used in the DOE-2 file from WINDOW 4 at this wind speed: 0.1980 for zero solar and 0.1971 for 783 W/m<sup>2</sup> beam solar at normal incidence.

So, beginning with Version -098 we have

in LV-D,	$R_{out} = 0.1957,$	$R_{in} = 0.68$
in LV-H,	$R_{out} = 0.1957,$	$R_{in} = 0.68$

In the DOE-2 file from WINDOW 4,  $R_{in}$  varies from 0.75 to 0.85 compared to 0.68 in LV-D and LV-H.

In the hourly calculation DOE-2 splits  $R_{out}$  into convective and radiative pieces and uses a convective piece that depends on wind speed and direction, and on surface tilt.  $R_{in}$  is constant and depends on surface tilt.

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>a) a fixed outside air film resistance as the documentation seems to indicate?</li> <li>b) a weighted average of the actual outside air film resistance from the weather file</li> <li>c) no outside air film resistance; and</li> <li>d) is an inside air film resistance included?</li> </ul> | <p><u>A note on frame U-values:</u> DOE-2 does not use the frame characteristics on the WINDOW 4 data files – you have to input your own frame. In Versions –080 and earlier the frame U-value in LV-D had no outside film resistance. Starting with Version –081 an outside film resistance of 0.4 was added and in version –098 this was changed to 0.1957. These values of frame outside film resistance are not used in the hourly calculation but are replaced with the</p> |
|--|--|

**Answer:**

Both LV-D and LV-H include inside and outside air film resistances. Prior to Version 098, the values (in  $[\text{Btu}/\text{ft}^2\text{-h-F}]^{-1}$ ) were:

in LV-D,  $R_{out} = 0.4$ ,  $R_{in} = 0.68$

in LV-H,  $R_{out} = 0.2987$ ,  $R_{in} = 0.68$

Starting with version 098,  $R_{out}$  was made the same in LV-D and LV-H and set to 0.1957, which corresponds to a wind speed of 15 mph (winter conditions). This is close to the values used in the DOE-2 file from WINDOW 4 at this wind speed: 0.1980 for zero solar and 0.1971 for 783 W/m<sup>2</sup> beam solar at normal incidence.

So, beginning with Version -098 we have

in LV-D,  $R_{out} = 0.1957$ ,  $R_{in} = 0.68$

in LV-H,  $R_{out} = 0.1957$ ,  $R_{in} = 0.68$

In the DOE-2 file from WINDOW 4,  $R_{in}$  varies from 0.75 to 0.85 compared to 0.68 in LV-D and LV-H.

In the hourly calculation DOE-2 splits  $R_{out}$  into convective and radiative pieces and uses a convective piece that depends on wind speed and direction, and on surface tilt.  $R_{in}$  is constant and depends on surface tilt.

A note on frame U-values: DOE-2 does not use the frame characteristics on the WINDOW 4 data files – you have to input your own frame. In Versions –080 and earlier the frame U-value in LV-D had no outside film resistance. Starting with Version –081 an outside film resistance of 0.4 was added and in version –098 this was changed to 0.1957. These values of frame outside film resistance are not used in the hourly calculation but are replaced with the same values used for the glazing.

**Question:** I am getting “-nan” outputs in my SIM file. What does this mean?









**Answer:** It means “not a number” but somehow I don’t think this fully answers your question. 😊  
The “-nan”s might be the result of a divide by zero. Try changing your inputs, such as the system flow rate.

**Please email your "DOE-2 Puzzler" questions to [KLEllington@lbl.gov](mailto:KLEllington@lbl.gov)**



## Meetings, Conferences, Symposia

### 2002

May 8-10 2002	10 <sup>th</sup> National Conference on Building Commissioning	To be held in Chicago, IL <a href="http://www.peci.org/ncbc/2002/index.html">http://www.peci.org/ncbc/2002/index.html</a>	
May 20-23 2002	13 <sup>th</sup> Symposium on Improving Building Systems in Hot and Humid Climates	To be held in Houston, TX <a href="http://www-esl.tamu.edu/hh/main.htm">http://www-esl.tamu.edu/hh/main.htm</a>	
June 2-5 2002	Energy 2002 Energy Efficiency Workshop & Exposition	To be held in Palm Springs, CA Contact: <a href="mailto:joanne@fsec.ucf.edu">joanne@fsec.ucf.edu</a>	
June 3-5 2002	16th European Simulation Multi-Conference	To be held in Darmstadt, germany <a href="http://biomath.rug.ac.be/~scs/conf/esm2002/index.html">http://biomath.rug.ac.be/~scs/conf/esm2002/index.html</a>	
June 22-26 2002	ASHRAE Annual Meeting	To be held in Honolulu, HI Contact: <a href="mailto:jyoung@ashrae.org">jyoung@ashrae.org</a> <a href="http://www.ashrae.org">http://www.ashrae.org</a>	 
June 30-July 5 2002	Indoor Air 2002	To be held in Monterey, CA <a href="http://www.indoorair2002.org">http://www.indoorair2002.org</a>	
July 15-18 2002	2002 National Workshop on State Energy Building Codes	To be held in Des Moines, IA -- <a href="http://www.eren.doe.gov/buildings/codes_standards/buildings/2002_workshop.html">http://www.eren.doe.gov/buildings/codes_standards/buildings/2002_workshop.html</a>	
August 18-23 2002	 Teaming for Efficiency	To be held in Pacific Grove, CA <a href="http://www.aceee.org">http://www.aceee.org</a>	
September 12-13 2002	eSim 2002 Canadian Conference on Building Energy Simulation	To be held in Montreal, Canada <a href="http://buildingsgroup.nrcan.gc.ca/esim2002/English/esim_home.htm">http://buildingsgroup.nrcan.gc.ca/esim2002/English/esim_home.htm</a>	



## Meetings, Conferences, Symposia (continued)

### 2002 Continued

November 13-15 2002	First Annual International Green Building Conference and Expo		To be held in Austin, TX <a href="http://www.usgbc.org/expo.htm">http://www.usgbc.org/expo.htm</a>
December 4-6 2002	Advances in Building Technology		To be held in Hong Kong Contact: clyystui@polyu.edu.hk <a href="http://www.polyu.edu.hk/~fclu/ABT21002">http://www.polyu.edu.hk/~fclu/ABT21002</a>
December 16-18 2002	6 <sup>th</sup> International Conference on System Simulation in Buildings		To be held in Liege, Belgium Contact: michele.deprez@ulg.ac.be <a href="http://www.ulg.ac.be/labothap">http://www.ulg.ac.be/labothap</a>



### 2003

January 25-29 2003	ASHRAE Winter Meeting		To be held in Chicago, IL Contact: jyoung@ashrae.org <a href="http://www.ashrae.org">http://www.ashrae.org</a>
June 28-July 2 2003	ASHRAE Annual Meeting		To be held in Kansas City, MO Contact: jyoung@ashrae.org <a href="http://www.ashrae.org">http://www.ashrae.org</a>

## DOE-2 Directory of Program Related Software and Services

### ESTSC Versions of DOE-2

Program Name	Description		Cost			
<b>DOE-2.1E (Ed Kidd or Walt Kelly)</b> estsc@adonis.osti.gov  <b>ESTSC</b> P.O. Box 1020 Oak Ridge, TN 37831-1020 Ph: 865-576-2606 / Fx: 576-2865 www.osti.gov/estsc	Source code, executable code and complete current documentation for:	<u>Support</u> From ESTSC, limited operational support (telephone assistance concerning installation, media or platform questions).		<b>Windows</b>	<b>SUN-UNIX</b>	<b>VAX</b>
			Govt/Educ	\$ 300	\$455	\$500
	DOE-2.1E/Version 110 for Windows and SUN UNIX DOE-2.1E/Version 117 1000-zone version		US, Mexico, Canada	\$575	\$1365	\$1835
	<b>Operating System:</b> Windows, SUN UNIX		Other Foreign	\$1075	\$2120	\$2716

### Commercial Versions of DOE-2

Program Name	Description	Cost	
<b>ADM-DOE-2 (Richard Burkhardt)</b> ADM Associates 3239 Ramos Circle Sacramento, CA 95827-2501 Ph: 916-363-8383, Fx: 363-1788 www.adm-energy.com	Use on 386/486 PCs with a math co-processor and 4MB of RAM. The package contains everything needed to run the program: program files, utilities, sample input files, and weather files. More than 300 weather files available. <b>Operating System:</b> DOS, Windows 95	<u>Input</u>	\$395 + \$15/SH including one set weather data (your choice) and documentation
		<u>Output</u>	
		<u>Support</u>	
<b>Compare-IT (Matt Brost)</b> RLW Analytics, Inc. info@rlw.com 1055 Broadway, Suite G Sonoma, CA 95476 Ph: 707-939-8823, Fx: 939-9218 www.rlw.com	Compare-IT allows DOE-2 professionals to add value to their projects by giving clients "what-if" scenarios using DOE-2. The interface is designed for novice energy analysts and the GUI can be customized for each client's particular interests. Based DOE-2.1E. <b>Operating System:</b> DOS, Windows (98, 95, NT)	<u>Input:</u> Customizable windows GUI dynamically built based on DOE-2 macros.	\$500 consultant \$2000 client
		<u>Output</u>	Documentation available
		<u>Support</u>	
<b>DOE-Plus (Steve Byrne)</b> Item Systems byrne @ item.com 321 High School Road NE Box 344 Bainbridge Island, WA 98110 Ph: 206-855-9540 / Fx: 855-9541 http://www.item.com/doeplus.htm	Complete support for all DOE-2 commands. Utility programs included: Prep, Demand Analyzer, weather processor. Over 500 worldwide weather files. Imports BDL files created with a text editor or other program. Based on DOE-2.1E. <b>Operating System:</b> DOS, Windows (3.1, 95, NT)	<u>Input</u> Interactive, graphical, fill-in-the-blanks	\$895 with DOE-2 and doc
		<u>Output</u> Customizable tables and graphics	\$495 without DOE-2  Source code not available.

Note: We list third-party DOE-2-related products and services for the convenience of program users, with the understanding that the Simulation Research Group does not have the resources to check the DOE-2 program adaptations and utilities for accuracy or reliability.

### Commercial Versions of DOE-2 (continued)

Program Name	Description		Cost
<b>EnergyPro 3.0 (D. Vonderkullen)</b> demian@energysoft.com  Gabel Dodd/EnergySoft LLC 100 Galli Drive #1 Novato, CA 94949-5657 Ph: 415-883-5900, Fx: 883-5970 www.energysoft.com	Performs nonresidential load calculations for HVAC equipment sizing. Electronically exports forms to AutoCad for inclusion on blueprints. On-line help. 344 weather files for the U.S. and Canada. <b>Operating System:</b> DOS, Windows (95, NT). <b>For California Users:</b> Performs Title 24 compliance calculations, includes state-certified HVAC and DHW Equipment directories, Title 24 tailored lighting calculations. Based on ESTSC DOE-2.1E	<u>Input:</u> Graphical  <u>Output:</u> Graphs, forms  <u>Support:</u> Unlimited support	DOE-2 Module: Non-residential \$ 700 <sup>1,2</sup> Residential \$ 250 <sup>1,2</sup> Program Interface \$ 195 <sup>3</sup> <sup>1</sup> price reflects cash discount <sup>2</sup> includes documentation <sup>3</sup> required
<b>EZDOE (Bill Smith)</b> bsmith @ elitesoft.com Elite Software P.O. Box 1194 Bryan, TX 77806 Ph: 409-846-2340 / Fx: 846-4367 http://www.elitesoft.com/web/hvacr/ elite_ezdoe_info.html	Provides full screen, fill-in-the-blank data entry, dynamic error checking, context-sensitive help, mouse support, graphic reports, a 750-page user manual, and extensive weather data. Full implementation of DOE-2 on DOS-based 386 and higher computers. On-line help. Some weather files. Based on DOE-2.1E. <b>Operating System:</b> DOS	<u>Input:</u> Fill-in-the-blanks  <u>Output:</u> Standard DOE reports plus some custom graphic reports <u>Support:</u> Unlimited phone support	\$1295 w/documentation  Source code not available.
<b>FTI/DOE2 (Scott Henderson)</b> info @ finite-tech.com Finite Technologies Inc. 3763 Image Drive Anchorage, Alaska 99504 Ph: 907-333-8937, Fx: 333-4482 http://www.finite-tech.com/ FTIDOE2001.htm	Version 3.0 Release -- FTI/DOE is 100% compatible with LBNL version. Source code versions will compile with most F77-compliant compilers. On-line help: 344 weather files for the U.S. and Canada. Based on ESTSC DOE-2.1E. No demo, 30-day trial period <b>Operating System:</b> DOS, Windows (3.x, 95, NT) AIX, ULTRIX, VMS, Linux, NeXTStep,	<u>Input:</u> Version 2.x: text based Version 3.x: graphical <u>Output:</u> All standard DOE-2 reports Run time and status graphics <u>Support:</u> 90-days free; then cost is \$ 35 each email per incident \$ 55 per hour per incident \$125 per hour for engineering advice.	\$ 995.99 US w/documentation \$1066 Int'l w/documentation \$4999.99 Source code
<b>PRC-DOE-2 (Paul Reeves)</b> Paul.Reeves@DOE2.com Partnership for Resource Conservation 140 South 34 <sup>th</sup> Street Boulder, CO 80303 Ph: 303-499-8611, Fx: 554-1370	Text-based version of DOE-2 includes documentation. Extensive information on new features, including information on new system types, new commands, new options, etc., added to later versions of 2.1E. <b>Operating System:</b> DOS, Windows (95, NT)	<u>Input:</u> Standard text-based  <u>Output:</u>  <u>Support:</u> Unlimited support.	\$ 495 w/documentation  Source code not available.

### Commercial Versions of DOE-2 (continued)

Program Name	Description	Cost
<b>VisualDOE 3.0 (Eric Kolderup)</b> support@eley.com Charles Eley Associates 142 Minna Street San Francisco, CA 94105 Ph: 415-957-1977 Fx: 415-957-1381 <a href="http://www.eley.com/gdt/visualdoe/index.htm">http://www.eley.com/gdt/visualdoe/index.htm</a>	Fast construction of building geometry using pre-defined blocks and/or drawing interface. Import zone shapes from CADD file (dxf format). Point-and-click to define zone properties and HVAC systems. Rotate-able 3-D image of model. Custom hourly outputs, customized graphs. On-line help. 400+ US weather files, 12+ for Canada, plus selected locations around the world. <b>Operating System:</b> DOS, Windows (3.1, 95, NT)	<div> <div>Input</div> <div>Graphical</div> </div> <div> <div>Output</div> <div>Graphical</div> </div> <div> <div>Support</div> <div>90 days free phone and email support.; thereafter \$195/hear</div> </div> Contact Eley Associates for cost of Version 3.0 (with documentation) Source code not available.

### Pre- and Post Processors for DOE-2

Program Name	Description	Cost
<b>DrawBDL Joe Huang &amp; Associates</b> 6720 Potrero Avenue El Cerrito, CA 94530 Ph/Fx: 510-236-9238	<b>DrawBDL</b> , Version 2.1, is a <b>graphic debugging and drawing tool for DOE-2 building geometry</b> . DrawBDL reads your BDL input and makes a rotate-able 3-D drawing of your building with walls, windows, and building shades shown in different colors for easy identification. <b>Operating System:</b> DOS, Windows (3.1, 95, 98, NT) [Works with 2.1E]	\$125.00 plus shipping
<b>PRC-TOOLS (Paul Reeves)</b> <b>P R C</b> 140 South 34 <sup>th</sup> Street Boulder, CO 80303 Ph: 303-499-8611 / Fx: 554-1370	<b>PRC-Tools</b> aid in <b>extracting, analyzing, and formatting DOE-2 output</b> . <i>PRC-Grab</i> automates the process of extracting any number of answers from DOE-2 standard output files. <i>PRC-Hour</i> and <i>PRC-Peak</i> format the hourly output and create Peak-Day and Average-Day load shapes for any number of periods and for any combination of hourly values. <b>Operating System:</b> Windows (95, 98, NT) [Works with 2.1E]	\$99.00
<b>RIUSKA (Tuomas Laine)</b> <b>Olof Granlund Oy</b> P O Box 59 Helsinki, FIN-00701 Finland (tuomas.laine@granlund.fi) Ph: +358 (9) 351031 / Fx: 35103421	With RIUSKA user can add building envelope materials, internal loads and HVAC-system into the created 3D-model of the building and perform thermal calculations. RIUSKA can be used for space simulations to dimension cooling or heating equipments, or for energy calculations of the whole building. <b>Operating System:</b> Windows (95, 98, NT) [Works with 2.1E]	Contact Tuomas Laine for pricing.
<b>Visualize-IT (Matt Brost)</b> <b>RLW Analytics, Inc.</b> mattb@rlw.com 1055 Broadway, Suite G Sonoma, CA 95476 Ph: 800-472-6716 Fx: 707-939-8823 <a href="http://www.rlw.com/visualize_it.html">www.rlw.com/visualize_it.html</a>	Visualize-IT 2.0 is a Windows application designed to help you explore and summarize short-interval time series data, e.g., measurements taken once every 15 minutes over a period of weeks, months or years. Visualize-IT has been developed specifically for electric and gas load data measuring class profiles, market-segments, individual customer sites or specific end uses. Customized DOE2.1e hourly output importer. Visualize-IT is highly useful and informative for looking at DOE2 output and/or comparing to interval metered data. It is equally useful for other time series measurements such as weather, industrial process control, and water quality. <b>Operating System:</b> Windows 95, 98 and NT	\$500.00 per set Volume Discounts Available



## Special Versions of DOE-2

Program Name	Description	Cost
<b>CBIP</b> <a href="http://cbip.nrcan.gc.ca/cbip.htm">cbip.nrcan.gc.ca/cbip.htm</a> Office of Energy Efficiency Natural Resources Canada 580 Booth St., 18th Floor Ottawa ON K1A 0E4, CANADA	Natural Resources Canada's <b>Commercial Building Incentive Program (CBIP)</b> offers a financial incentive for the incorporation of energy efficiency features in new commercial and institutional building designs. The objective of this new incentive is to encourage energy-efficient design practices and to bring about lasting changes in the Canadian building design and construction industry. The program will be offered until March 31, 2004.	Web Based (free)
<b>Cool Tools</b> <b>(Peter Turnbull)</b> Pacific Gas & Electric Company <a href="mailto:pwt1@pge.com">pwt1@pge.com</a> <a href="http://www.hvacexchange.com/cooltools/">www.hvacexchange.com/cooltools/</a>	The CoolTools™ project objective is to develop, disseminate and promote an integrated set of tools for design and operation of chilled water plants. CoolTools products are Internet based, public domain resources available to building owners, design professionals, and operators involved in both new construction and retrofits.	Web Based (free)
<b>DesiCalc GRI-98/0127</b> <a href="http://www.desicalc.com">www.desicalc.com</a>	<b>DesiCalc screens desiccant cooling applications.</b> It estimates annual or monthly energy loads, using hour-by-hour simulations, and costs for 11 typical commercial buildings in 236 geographical locations in the US. Includes the latest TMY2 meteorological database [Based on DOE-2.1E] <b>Operating System:</b> Windows 3.1, 95, 98, NT	\$295 w/doc +8.75% tax in IL +4.5% tax in VA S/H add \$20
<b>Energy Gauge USA (Danny Parker)</b> Florida Solar Energy Center 1679 Clearlake Road Cocoa, FL 32922 <a href="http://energygauge.com">energygauge.com</a>	<b>Energy Gauge USA</b> allows the simple <b>calculation and rating of residential building energy use</b> in the US. The simulation calculates a six-zone model of the residence (conditioned zone, attic, crawlspace, basement, garage and sunspace) with the various buffered spaces linked to the interior as appropriate. TMY weather data for the program are available for 239 US locations. [Based on DOE-2.1E] <b>Operating System:</b> Windows 95, 98, NT	Contact Danny Parker at FSEC for availability.
<b>Home Energy Saver</b> (Residential DOE-2) <a href="http://hes.lbl.gov">hes.lbl.gov</a>	<b>Calculation of residential energy consumption using DOE-2.1E.</b> The program performs a full annual simulation for a typical weather year (involving 8760 hourly calculations) from 239 locations around the United States in about 10-20 seconds.	Web Based (free)
<b>PERFORM 2001</b> California Energy Commission 1516-9 <sup>th</sup> St., MS-13 Sacramento, CA 95814 Ph: 916-654-5385	Created for the State of <b>California</b> Energy Commission's, <b>Title 24 energy code</b> . Perform 2001 is an interface shell with DOE-2 as the engine. PERFORM 2001 calculates building energy consumption for space heating, space cooling and domestic hot water heating, and compares the energy consumption of the building design against the requirements of the standards. DOS input. Output is only California Title 24 compliant. [Based on DOE-2.1E] Technical support \$100/year from Gabel-Dodd Energy Soft LLC, Call 415-883-5900 for details.	\$250 including PERFORM 2001 program and manual on CD. (VISA/MC) Order #PS-400-04-017 <a href="http://www.energy.ca.gov/reports/reports_400.html">www.energy.ca.gov/reports/reports_400.html</a>
<b>RESFEN-3.1</b> Building Technologies, MS 90-3111 Lawrence Berkeley Laboratory Berkeley, CA 94720	<b>RESFEN</b> calculates the <b>energy and cost implications of a building's windows compared to insulated walls</b> . The relative energy and cost impacts of two different windows can also be compared against each other. RESFEN calculates the heating and cooling energy use and associated costs, also the peak heating and cooling demand for specific window products. [Based on DOE-2.1E] <b>Operating System:</b> Windows 95, 98, NT	Free! Download from <a href="http://windows.lbl.gov/software/resfen">windows.lbl.gov/software/resfen</a>

## INTERNATIONAL DOE-2 RESOURCE CENTERS

*The people listed here have agreed to be primary contacts for DOE-2 program users in their respective countries. Each resource center has the latest program documentation, all back issues of the User News, and recent LBNL reports pertaining to DOE-2. Users may make arrangements to photocopy the new material for a nominal cost. We hope to establish centers in other countries; please contact us if you want to establish a center in your area.*

### Australasia

P. C. Thomas, SOLARCH, University of New South Wales, Sydney 2052, Australia  
Tel: +61 2 9385 6373 / Fax: +61 2 9385 6735, email [PC.Thomas@unsw.EDU.AU](mailto:PC.Thomas@unsw.EDU.AU) [www.fbe.unsw.edu.au/units/solarch](http://www.fbe.unsw.edu.au/units/solarch)

### Australia

Murray Mason, ACADS BSG, 16 High Street, Glen Iris, VIC. 3146, Australia / Tel: +61 885 6586 / Fax: +61 885 5974

### Brazil

Prof. Roberto Lamberts, Universidade Federal de Santa Catarina, Campus Universitario-Trindade, Cx. Postal 476, 88049-900 Florianopolis SC, BRASIL [lamberts@ecv.ufsc.br](mailto:lamberts@ecv.ufsc.br)  
/ Tel: +55 48 331 9272/ Fax: +55 48 331 9770

### Czech Republic

Ing. Zuzana Krtkova, Faculty of Civil Engineering, Dept. of Environmental and Building Services Engineering, Czech Technical University in Prague, Thakurova 7, 166 29 Praha 6, CZECH REPUBLIC [krtkova@fsv.cvut.cz](mailto:krtkova@fsv.cvut.cz) Tel: +42 2 2435 4327

### Egypt

Dr. Ossama A. Abdou, Center for Building Environmental Studies and Testing (C-Best), 15-El-Shibani Street, Almanza, Cairo, Egypt Tel: +20 2 391 1137 or +20 2 417 4583 / Fax: +20 2 519 4343 / [oabdou@hotmail.com](mailto:oabdou@hotmail.com)

### Germany

B. Barath or G. Morgenstern, Ingenieurbüro Barath & Wagner GmH, Postfach 20 21 41, D-41552 Kaarst, Germany  
Tel: +49 2 131 7574 9012 G. Morgenstern / Fax: +49 2 131 7574 9029

### Hong Kong, China, Taiwan, Japan

Dr. Sam C. M. HUI or K.P. Cheung, Dept of Architecture, University of Hong Kong, Pokfulam Road, Hong Kong (SAR), CHINA / [cmhui@hku.hk](mailto:cmhui@hku.hk) or [kpcheung@hku.hk](mailto:kpcheung@hku.hk) / <http://arch.hku.hk/research/BEER/DOE-2/DOE-2.htm>  
Tel: +852 2859 2123 Sam Hui / Fax: +852 2559 6484

### India

Jiten Prajapati or Anil K. Anand, Energy Systems Engineering, IIT-Mumbai, Powai, Mumbai 400 076, INDIA  
Tel : +91 022 578 2545 x7378

### Italy

Marco Rapella, Via Bonfadini 33, I-23100 Sondrio, ITALY Tel: +390342511168, [marco.rapella@libero.it](mailto:marco.rapella@libero.it), cell phone number: +393474756858

### Korea (Chungnam)

Dr. Jun Tae Kim, Department of Architectural Engineering, Kongju National University, 182 Sinkwan-dong, Kongju, Chungnam 314-701, Republic of Korea / [jtkim@knu.kongju.ac.kr](mailto:jtkim@knu.kongju.ac.kr) / Tel: +82 416 850 8653 / Fax +82 416 856 9388

### Korea (Seoul)

Dr. Jung-Ho Huh, Ph.D., Assistant Professor, Dongdaemoon-Gu Jeonnonng-Dong 90, Dept. of Architectural Engineering, The University of Seoul, Seoul 130-743, Korea. -- [huhj0715@uoscc.uos.ac.kr](mailto:huhj0715@uoscc.uos.ac.kr), Tel: +02-2210-2616 / Fax: +02-2248-0382

## INTERNATIONAL DOE-2 RESOURCE CENTERS (continued)

### Korea (Taejon)

Dr. Euy-Joon Lee and Jong-Ho Yoon, Passive Solar Research Team, Bldg 2, Room 202, Korea Institute of Energy Research, Daeduk Science Town, 71-2 Jang-Dong, Yusong-Gu, Taejon 305-343, Republic of Korea. -- Lee: [ejlee@kier.re.kr](mailto:ejlee@kier.re.kr), Yoon: [yesru@kier.re.kr](mailto:yesru@kier.re.kr)  
Tel: +82 42 860 3514 / Fax: +82 42 860 3132

### New Zealand

Tan Yune, Architecture Department, The University of Auckland, Private Bag 92019, Auckland, New Zealand    [tanyune@ccu1.auckland.ac.nz](mailto:tanyune@ccu1.auckland.ac.nz) / Tel: +64 9 373 7999 x5647 / Fax: +64 9 373 7410

### Portugal, Spain, Italy, and Greece

Antonio Rego Teixeira, INETI, Departamento de Energias Renováveis (DER), Estrada do Paco do Lumiar, 1649-038 Lisboa, Portugal  
[rego.teixeira@mail.ineti.pt](mailto:rego.teixeira@mail.ineti.pt) / Tel: +351 21 716 5141 x2669 / Fax: +351 21 716 4305

### Singapore, Malaysia, Indonesia, Thailand, and the Philippines

WONG Yew Wah (Raymond), Nanyang Technological University, School of Mechanical and Production Engineering, Nanyang Avenue, Singapore 2263, Republic of Singapore, [mywwong@ntu.edu.sg](mailto:mywwong@ntu.edu.sg) / Tel: +65 790 5543 / Fax: +65 791 1859

### South Africa

Prof. L. J. Grobler, School of Mechanical and Materials Engineering, University of Potchefstroom, Private Bag X6001, Potchefstroom 2520, South Africa, [mgiljg@puknet.puk.ac.za](mailto:mgiljg@puknet.puk.ac.za) / Tel: +27 148 299 1328 / Fax: +27 148 299 1320

### Switzerland

René Meldem, BG ingénieurs Conseils SA, 61 Avenue de Cour, Case postale, CH-1000 Lausanne, Switzerland  
Tel: +41 21 618 1111, Fax: +41 21 618 1122, [rene.meldem@bg-21.com](mailto:rene.meldem@bg-21.com)

*Disclaimer: The Building Energy Simulation User News was prepared as an account of work sponsored by the United States Government (USG). While this document is believed to contain correct information, neither the USG nor any agency thereof, nor the Regents of the University of California (RUC), nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process or service by its trade name, trademark, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the USG or any agency thereof, or the RUC. The views and opinions of authors expressed herein do not necessarily state or reflect those of the USG or any agency thereof or of the Regents of the University of California*

**INTERNATIONAL DOE-2 ENERGY CONSULTANTS**

**Australia**

P. C. Thomas, Sustainable Building & Energy Consultants, 6/52 Houston Road, Kingsford NSW 2032, Australia.  
Tel/Fax: +61 2 9662 0205, Mobile +61 417 405 478, [pc\\_thomas@iname.com](mailto:pc_thomas@iname.com)

**Belgium**

Andre Dewint, S.A. Alpha Pi n.v., Avenue Franklin Roosevelt 74 bte 2, B-1000 Bruxelles, BELGIUM, Tel: +32 2 343 4251 / Fax: +32 2 343 0377

**Canada**

Curt Hepting, P.Eng. EnerSys Analytics, 2989 Delahaye Drive, Coquitlam, B.C. V3B 6Y9 Canada [chepting@telus.net](mailto:chepting@telus.net) / <http://www.enersys.ca/info/>  
Tel: (604) 552-0700 / Fax (604) 552-0713

Dejan Radoicic, D. W. Thomson Consultants, Ltd., 1985 West Broadway #200, Vancouver, BC V6J 4Y3, Canada Tel (604) 731-4921 / Fax (604) 738-4420

Neil A. Caldwell, PE, DukeSolutions Canada, Inc., 1730 - 401 West Georgia St., Vancouver, BC V6B 5A1 Canada [ncaldwe@duke-energy.ca](mailto:ncaldwe@duke-energy.ca)

Dr. Stephane Bilodeau, PE, President, Groupe Enerstat, Inc., 79 Wellington North #202, Sherbrooke (Quebec) J1H 5A9, Canada  
[sbilodeau@groupeenerstat.com](mailto:sbilodeau@groupeenerstat.com) / Tel: (819) 562-8040 / Fax (819) 562-5578

Gordon Shymko, G.F. Shymko & Associates, Inc., 129 Evergreen Crescent S.W., Calgary, Alberta T2Y 3R2, Canada

**Germany**

Jens Grundt and Ludwig Michel, GMW-Ingenieurburo, Die Planer Villa, Bunteweg 10a, 30559 Hannover, Lower Saxony, Germany  
Tel: +49 0511 58 59 48 -11/Fax +49 0511 58 59 48 -48 [www.gmw-ingenieurbuero.de](http://www.gmw-ingenieurbuero.de) [j.grundt@gmw-ingenieurbuero.de](mailto:j.grundt@gmw-ingenieurbuero.de)

**Italy**

Marco Rapella, Via Bonfadini 33, I-23100 Sondrio, ITALY Tel: +390342511168, [marco.rapella@libero.it](mailto:marco.rapella@libero.it), cell phone number: +393474756858

**Ireland**

Paul Overy, Overy + Associates, Mechanical and Electrical Consulting Engineers, 43 Parnell Street, Clonmel, Co Tipperary, Ireland  
Tel: +353 (0)52-27667, Fax: +353 (0)52-29238 [www.overy-assoc.com](http://www.overy-assoc.com)

**New Zealand**

Paul Bannister, Energy Group, Ltd., 14a Wickliffe Street (P.O. Box 738), Dunedin New Zealand [eglstaff@earthlight.co.nz](mailto:eglstaff@earthlight.co.nz), Tel: +64 3479 0148, Fax: 3479 0759

**Switzerland**

René Meldem, BG ingenieurs Conseils SA, 61 Avenue de Cour, Case postale, CH-1000 Lausanne, Switzerland  
Tel: +41 21 618 1111, Fax: +41 21 618 1122, [rene.meldem@bg-21.com](mailto:rene.meldem@bg-21.com)

Philip Schluchter, Institut für Bauphysik Klein, Urs Graf-Strasse 1, CH-4052 Basel, Switzerland

Gerhard Zweifel, Hochschule Technik + Architektur Luzern, Technikumstrasse 21 Abt. HLK, CH-6048 Horw, Switzerland [gzwiefel@ztl.ch](mailto:gzwiefel@ztl.ch)  
Tel: +41 349 3349, Fax: 349 3960

Markus Koschenz, Building Equipment Section 175, EMPA, 129 Überlandstrasse, CH-8600 Dübendorf, Switzerland  
[Markus.Koschenz@empa.ch](mailto:Markus.Koschenz@empa.ch), Tel: +41 1823 5511, Fax: 821-6244

**United Kingdom**

Dr. Peter Simmonds, Ove Arup and Partners, Ltd., 13 Fitzroy Street, London W1P 6BQ, UNITED KINGDOM.  
Tel: +44 20-7465-3637 / Fax: 7465-3667, [peter.simmonds@arup.com](mailto:peter.simmonds@arup.com) / [www.arup.com](http://www.arup.com)

## U. S. DOE-2 ENERGY CONSULTANTS

<b>Arizona</b>				
Dale R. Broughton, P.E. drb6@home.com	Quantum Computer Resources www.qcr-usa.com	20833 North 1 <sup>st</sup> Street	Phoenix, AZ 85027	(623) 780-3496 fax: 322-0049
Henny van Lambalgen, P.E. henny@questenergy.com	Quest Energy Group, LLC www.questenergy.com	4324 East Pearce Road	Phoenix, AZ 85044	(480) 753-5590 fax 753-1215
Marlin S. Addison marlin.addison@doe2.com	M. S. Addison & Associates	1215 West 12th Place	Tempe, AZ 85281	(480) 968-2040 fax: 968-2053
Chuck Sherman ces@essinc.com	ESSengineering	2141 East Broadway, #211	Tempe, AZ 85282	(480) 784-4500 fax: 784-4800
Sarat Kanaka nexus@nexusenergy.com	EcoGroup, Inc., Suite 301	2085 E. Technology Circle	Tempe, AZ 85284	(602) 777-3000
<b>California</b>				
Joseph Deringer, jderinger@deringergroup.com Qiang (Peter) Zhang peter@deringergroup.com	The Deringer Group, Inc. www.deringergroup.com www.ecoadvisor.com	1349 Addison Street	Berkeley, CA 94703	(510) 843-9000 fax: 843-9005
M. Gabel, R. Howley office@gabelenergy.com	Gabel Associates, LLC www.gabelenergy.com	1818 Harmon Street	Berkeley, CA 94703	(510) 428-0803 fax: 428-0324
George Marton	1129 Keith Avenue		Berkeley, CA 94708	(510) 841-8083
John R. Aulbach, PE	jrascab36@earthlink.net	23508 Naffa Avenue	Carson, CA 90745	(310) 549-7118
Leo Rainer lirainer@davisenergy.com	Davis Energy Group, Inc. www.davisenergy.com	123 C Street	Davis, CA 95616	(916) 753-1100
L. Heshong and D. Mahone lheshong@h-m-g.com dmahone@h-m-g.com	The Heshong Mahone Group www.h-m-g.com	11626 Fair Oaks Blvd, #302	Fair Oaks, CA 95628	(916) 962-7001 fax: 962-0101
Cliff Gustafson	Taylor Systems Engineering, Inc. www.tse-inc.net	9801 Fair Oaks Blvd., #100	Fair Oaks, CA 95628	(916) 961-3400 fax: 961-3410
Tom Lunneberg, PE tlunneberg@ctg-net.com	Constructive Tech. Group www.ctg-net.com/main.htm	16 Technology Dr., #109	Irvine, CA 92618	(949) 790-0010
David J. Schwed rma@as.net	Romero Management Associates www.asnet/~rma/index.htm	1805 West Avenue K	Lancaster, CA 93534	(805) 940-0540
Martyn C. Dodd support@energysoft.com	Gabel Dodd/EnergySoft, LLC www.energysoft.com	100 Galli Drive, # 1	Novato, CA 94949	(415) 883-5900 fax: 883-5970
Jim Kelsey PE, Kevin Warren kelsey@kw-engineering.com	kW Engineering www.kw-engineering.com	360-17 <sup>th</sup> Street #100	Oakland, CA 94612	(510) 834-6420 fax: 834-6373
Patrick Nkwocha, PE UPat@worldnet.att.net	Global Tech Services	3360 Foothill Blvd., #108	Pasadena, CA 91107	(626) 583-8205 fax: 583-8206
James Trowbridge, PE	Trowbridge Engineering	8240 Caribbean Way	Sacramento, CA 95826	(916) 381-4753
Greg Cunningham gwc@essinc.com	ESSengineering	114 Sansome St., #1201	San Francisco, CA 94104	(415) 296-9760 fax: 784-9761
Charles Eley, T. Tathagat info@eley.com	Eley Associates www.eley.com	142 Minna Street	San Francisco, CA 94105	(415) 957-1977 fax: 957-1381

**U. S. DOE-2 ENERGY CONSULTANTS (continued)**

<b>California (continued)</b>				
John F. Kennedy, PE info@geopraxis.com	GeoPraxis, Inc. www.geopraxis.com	205 Keller Street	Petaluma, CA 94952-3874	(707) 766-7010 fax: 766-7014
Chandra Shinde, PE	Envirodesign Group	19613 El Camino Esplanade	Walnut, CA 91789-2138	(909) 598-1980
<b>Colorado</b>				
Fred Porter	Architectural Energy Corp	2540 Frontier Ave, #201	Boulder, CO 80301	(303) 444-4149 fax: 444-4304
Dr. Ellen Franconi ellenf@schiller.com	Schiller Associates www.schiller.com	1401 Walnut Street, #403	Boulder, CO 80302	(303) 440-4343 fax: 440-6644
Paul Reeves	PRC	140 South 34 <sup>th</sup> Street	Boulder, CO 80303	(303) 499-8611
Susan Reilly denver@enermodal.com	Enermodal Engineering	1554 Emerson Street	Denver, CO 80218	(303) 861-2070 fax: 830-2016
<b>Colorado</b>				
Charles Fountain	Burns & McDonnell www.burnsmcd.com	8055 E. Tufts Avenue, #330	Denver, CO 80230	(303) 721-9292
Joel Neymark, PE neymarkj@qwest.net	J. Neymark & Associates	2140 Ellis Street	Golden, CO 80401	(303) 384-3672 fax: 384 9427
Norm Weaver, PE n_weaver@interwvr.com	Interweaver Consulting www.interwvr.com	P.O. Box 775444	Steamboat Springs, CO 80477	(970) 870-1710
<b>Connecticut</b>				
Adrian Tuluca swa@swinter.com	Steven Winter Associates www.swinter.com	50 Washington Street	Norwalk, CT 06854	(203) 857-0200 fax: 852-0741
<b>District of Columbia</b>				
Kurmit Rockwell, PE	XENERGY, Inc., Suite 1110 www.xenergy.com	1025 Connecticut Ave., N.W.	Washington, DC 20036	(202) 872-1626
<b>Florida</b>				
Philip Wemhoff wemhoff@netzzero.net	9765 MacArthur Court North		Jacksonville, FL 32246	(904) 645-5342
Dr. Paul Hutchins PE,CEM	Reynolds Smith & Hills, Inc. www.rsandh.com	4651 Salisbury Road	Jacksonville, FL 32256	(904) 279-2277 fax: 279-2491
<b>Georgia</b>				
Lung-Sing Wong, PE ls Wong@bpe-inc.com	Building Performance Engineers www.bpe-inc.com	3060 Wanda Woods Drive	Atlanta, GA 30340	(770) 270-0100
Glenn L. Bellamy gbellamy@heery.com	Heery International, Inc. www.heery.com	999 Peachtree St., N.E.	Atlanta, GA 30367-5401	(404) 946-2208 fax: 875-1283
<b>Illinois</b>				
Gary H. Michaels, PE	G.H. Michaels Associates	1512 Crain Street	Evanston, IL 60202	(847) 869-5859
Prem N. Mehrotra	General Energy Corp.	230 Madison Street	Oak Park, IL 60302	(708) 386-6000



**U. S. DOE-2 ENERGY CONSULTANTS (continued)**

<b>Illinois (continued)</b>				
Robert Henninger, PE rhenninger@gard.com	GARD Analytics, Inc. www.gard.com	1028 Busse Highway	Park Ridge, IL 60068-1802	(847) 698-5686
<b>Kansas</b>				
Dr. Brian A. Rock, PE barock@ukans.edu	A/E Dept, Marvin Hall	University of Kansas	Lawrence, KS 66045-2222	(785) 864-3603
<b>Massachusetts</b>				
C. Kalasinsky PE, T.Chan	R.G. Vanderweil Engrs., Inc. www.vanderweil.com	274 Summer Street	Boston, MA 02458-1113	(617) 423-7423 fax: 423-7401
Mark Mullins mmullins@hecenergy.com	HEC Energy & Design Services www.hecenergy.com	24 Prime Parkway	Natick, MA 01760	(508) 653-0456 fax: 653-0266
Michael Andelman andelman@jrma-ae.com	JRMA & Associates www.jrma-ae.com	421 Watertown St.	Newton, MA 02210	(617) 964-8889 fax: 964-7881
<b>Missouri</b>				
Mike Roberts	Roberts Engineering Co.	11946 Pennsylvania	Kansas City, MO 64145	(816) 942-8121
Bruce A. Leavitt, PE	Wm. Tao & Associates Inc.	2357-59 <sup>th</sup> Street	St. Louis, MO 63110	(314) 644-1400
<b>Montana</b>				
Michael W Harrison, PE	Harrison Engineering	139 Bluebird Lane	Whitehall, Montana 59759	(406) 287-5370
<b>Nebraska</b>				
Philip M. Schreier, PE FEI-OMA@worldnet.att.net	Farris Engineering www.nebraska.org/4/4/01/00/co.htm	11239 Chicago Circle	Omaha, NE 68154-2634	(402) 330-5900 fax: 330-5902
<b>New York</b>				
Robert E. Gibeault gibeault@pbworld.com	PB Power, Inc. www.pbworld.com	1873 Western Avenue #201	Albany, NY 12203	(518) 862-0012 fax: 862-1608
J. Fireovid, K. Yousef	SAIC Energy Solutions Div. www.saic.com	1 Marcus Boulevard	Albany, NY 12205	(518) 458-2249
Dave Pruitt, Scott Frank	Jaros, Baum & Bolles www.jbb.com	80 Pine Street	New York, NY 10005	(212) 530-9300
H. Henderson henderson@cdhenergy.com S. Carlson carlson@cdhenergy.com	CDH Energy Corporation www.cdhenergy.com	P.O. Box 641 (132 Albany Street)	Cazenovia, NY 13035	(315) 655-1063 or (315) 655-1058
<b>North Carolina</b>				
Gopal Shiddapur, PE gsshidda@duke-energy.com	DukeSolutions (MC: ST05A) duke-energy.com	230 S. Tryon Street, # 400	Charlotte, NC 28202	(704) 373-4439 fax: 373-4872
Hank Jackson, PE hzjackson@juno.com	R, C, & I Engineering Services Inc.	P.O. Box 675	Weaverville, NC 28787-0675	(704) 691-0785 fax: 658-0474

**U. S. DOE-2 ENERGY CONSULTANTS (continued)**

<b>Oregon</b>				
Carol Gardner gems@teleport.com	Gardner Energy Management Services	PO Box 12549	Portland, OR 97212-0549	(503) 223-4847 fax: 223-8486
John P. Karasaki, P.E. john_karasaki@pgn.com	Portland General Electric	121 SW Salmon Street MC: 1WTC0706	Portland, OR 97204	(503) 464-7803 fax: 464-2485
<b>Pennsylvania</b>				
Kimberly Byk wba@utcorp.com	WB&A, Inc.	829 Meadowview Road	Kennett Square, PA 19348	(610) 347-0710 fax: 347-0711
<b>Texas</b>				
Jeff S. Haberl jhaberl@esl.tamu.edu	Energy Systems Laboratory esl.tamu.edu	Texas A&M University	College Station., TX 77843-3123	(409) 845-6065
Tarek Bou-Saada	bousaada@flash.net	4410 Grand Cayman Drive	Sugar Land, TX 77479	(281) 265-9139
<b>Virginia</b>				
Dave Walker walkeng@swva.net	Walker Engineering www.swva.net/walkeng	P.O. Box 366	Staffordsville, VA 24167	(540) 921-4544 fax: 921-4548
<b>Washington</b>				
Steve Byrne byrne@item.com	ITEM Systems, suite 344 www.halcyon.com/byrne/item.htm	321 High School Road NE	Bainbridge Island, WA 98110	(206) 855-9540
Gregory J. Banken, PE gbanken@qmetrics.com	Q-Metrics, Inc. www.qmetrics.com	P.O. Box 3016	Woodinville, WA 98072-3016	(425) 825-0200 fax: 825-0136